

structo

WALL
SYSTEMS



GLASS DOOR WITH
ALUMINUM FRAME

FITS PERFECTLY WITH
MODULE-S32 WALL

PORTA- 53S

Maximum external
dimensions of the
product (width x height):

1000 x 2400 mm

Glass thicknesses:

6 - 8,76 mm



+372 666 5017



info@structo.ee



www.structo.ee

PORTA – 53S

TECHNICAL DESCRIPTION



PORTA-53S is a portal system made of aluminum profiles.

The letter "S" in the product name means a door frame without overlight and glass door with S-32 door frame. This portal is compatible with MODULE-S32 glass wall.

Surface of the glass can be bright, very bright, mass-tinted, background-painted or matte.

The standard surface finish of aluminum profiles is natural (silver) anodizing but it is also possible to order a painted surface according to the RAL colour catalogue.

Range of thresholds includes an aluminum profile threshold with a silicone seal or a descending seal.


The standard lock case is Abloy LC305-30 and Structo counterpart. It is also possible to order other lock cases and counterparts.

The standard solution uses Abloy 3248 hinges. Other hinges can also be used (incl. Hahn and hidden hinges).

Standard handles are VAL4_0645M_CS, but other handles can also be used.

Maximum external dimensions of the product (width x height):	1000 x 2400 mm
--	-----------------------

Glass thicknesses:	6 – 8,76 mm
--------------------	--------------------



+372 666 5017




info@structo.ee



www.structo.ee

PORTA-53S

STANDARD SOLUTION WITH
MODULE-S32 CONNECTION




PORTA-53S


CONNECTION UNITS WITH MODULE-S32 GLASS WALL



CONNECTION WITH CEILING




CONNECTION WITH FLOOR



- ☞ - seal, VS118/8 black, white, dark gray
- ☞ - mastic sealant (optional when better soundproofing is required)
- ☞ - seal, LU6, transparent

CONNECTION WITH WALL (MODULE-S32)



DOOR CONNECTION WITH WALL WITHOUT SIDELIGHT



PAIR DOOR CONNECTION WITH WALL WITHOUT SIDELIGHT

