

# structo

WALL  
SYSTEMS



GLASS DOOR WITH  
ALUMINUM DOOR  
FRAME AND FRAMED  
OVERLIGHT

FITS PERFECTLY WITH  
MODULE-S32 WALL

## PORTA – 53SS

Maximum external dimensions of the product (width x height):	1000 x 3000 mm
Glass thicknesses:	6 – 8,76 mm
Maximum external dimensions of the door frame without overlight (width x height):	1000 x 2400 mm



+372 666 5017



info@structo.ee



www.structo.ee

# PORTA – 53SS | TECHNICAL DESCRIPTION



PORTA-53SS is a portal system made of aluminum profiles.

Letters "SS" in the product name mean a door frame with framed overlight and glass door with S-32 door frame. This portal is compatible with MODULE-S32 glass wall.

In the overlight can be used a glass panel with a thickness of 6-17mm.

Surface of the glass can be bright, very bright, mass-tinted, background-painted or matte.

The standard surface finish of aluminum profiles is natural (silver) anodizing but it is also possible to order a painted surface according to the RAL colour catalogue.


Range of thresholds includes an aluminum profile threshold with a silicone seal or a descending seal.

The standard lock case is Abloy LC305-30 and Structo counterpart. It is also possible to order other lock cases and counterparts.

The standard solution uses Abloy 3248 hinges. Other hinges can also be used (incl. Hahn and hidden hinges).


Standard handles are VAL4\_0645M\_CS, but other handles can also be used.

Maximum external dimensions of the product (width x height):	<b>1000 x 3000 mm</b>
Glass thicknesses:	<b>6 – 8,76 mm</b>
Maximum external dimensions of the door frame without overlight (width x height):	<b>1000 x 2400 mm</b>



# PORTA – 53SS

STANDARD SOLUTION WITH  
MODULE-S32 CONNECTION




# PORTA-53SS


## CONNECTION UNITS WITH MODULE-S32 GLASS WALL



### CONNECTION WITH CEILING




### CONNECTION WITH FLOOR



- ☞ - seal, VS118/8 black, white, dark gray
- ☞ - mastic sealant (optional when better soundproofing is required)
- ☞ - seal, LU6, transparent
- - AFTC double-sided tape, 2,5x5mm / 3x7mm / 3x10mm, colourless
- g - glued connection

### CONNECTION WITH WALL (MODULE-S32)



### DOOR CONNECTION WITH WALL WITHOUT SIDELIGHT



### PAIR DOOR CONNECTION WITH WALL WITHOUT SIDELIGHT

